

EDITION 1.9

DESIGNS OF STAINLESS STEEL



KARCHER  
  
DESIGN



## WE ARE KARCHER DESIGN

*Our parents Irmgard and Ulrich Karcher founded our family business in 1991. With great passion, they successfully positioned our brand in the premium segment of our industry, infecting us with their enthusiasm for our door furniture business. Through our universal comprehensive structure, timeless design at the highest level and the fascination of combining this with the most simple, quickest and highest-quality engineering possible, we were able to expand our strong market position beyond the borders of Germany into other central European countries. Always future-focused, we founded Karcher Design NA LLC in Seattle (WA) in 2015 in order to competently serve the US and Canadian markets with great customer service.*

*In our exclusive product range, customers can create their own personal, optimum combination of door handle model and rose variant. There are four different rose types to choose from. Our patented three-piece standard rose is available in round or square, as is the exclusive plan design rose. At only 3mm, the plan design rose creates a clear aesthetic that harmoniously blends into any modern furnishing concept, whether surface mounted or flush mounted. With our new, patented KD Comfort lock, we have taken on a pioneering role in the European market because this lock fulfils the customer's wish for a lock without a key in the matching design concept. We also offer all lever handle models on glass door locks, security lever handles, lever handles on shield plates and as window handles. The matching accessories such as pull handles, door stoppers, knobs and much more complete the Karcher Design range.*

*Whether made of stainless steel or zamac: Our customers can choose from a wide range of finishes, from the classic stainless-steel finishes, satin and polished, to the colour combination chrome/satin chrome and our growing new range in oil rubbed bronze and cosmos black.*

*Our diverse product portfolio can be used in a wide range of applications. With our innovative concepts, we give the end customer a high-quality finish to a family house construction or the perfect solution to exclusive interior design. Minimalist, linear and timeless design gives the architect impulses and inspiration for the tendering of major projects.*



*Every day our engineers work with pleasure on form and function to make our door handles an optical and haptic experience for our customers. They work in close contact with renowned designers. This great co-operation of design and development results in innovative designs combined with patentable concepts. We always ask ourselves, with attention to detail, how we can work out an even better solution for our customers. Since we strive for continuous improvement in product design and development, the highest quality is of paramount importance for us. Our door handles are certified according to the German industry standard DIN1906 (class 3 and class 4), DIN18273, DIN179, DIN18257 and EN1627. We regard the continuous internal inspections at our factory as a concrete obligation to supply our customers with flawless, long-lasting products.*

*Our selected partners are qualified and are supported on-site throughout Europe by our sales experts. With a combination of experience, know-how and state-of-the-art warehouse logistics, our qualified office team ensures optimum customer care and smooth shipping. Over the last 10 years we have built up a professional training management platform and are proud of our highly qualified young professionals.*

*Be inspired by our products and optimize your living space.*

**Jan Karcher & Isabel Karcher**



Stadium



Office



Research Centre

### PUBLIC CONSTRUCTION

In public buildings, such as schools or shopping centres, the doors are opened by visitors over a hundred times a day. In addition to the design aspect, the fittings have to meet stringent quality requirements. Our handles are certified according to DIN EN 1906 category 3 and 4 and are suitable for buildings with high visitor frequency. We also offer a wide range of fire protection and burglar resistant products.



Educational Institution



### APARTMENT BUILDINGS

In order to furnish an exclusive interior, all elements in the room must be coordinated, including our high-quality stainless steel, KARCHER DESIGN Fittings. Our products go through a series of tests before sale to ensure an exceptional standard of quality. Whether extravagant shapes, unusual colours, door handles with integrated locking or handles with over 100 different combination options, we will find the right design for every interior.




More references at [www.karcher-design.co.uk](http://www.karcher-design.co.uk)




### HOTELS


The art of creating a place where guests feel at home - that's exactly what good hotels are today. Our handle models perfectly match any furnishing concept and are built to withstand busy hotel use. Rose technology such as the 3-piece rose allows our products to deliver a high level of quality in addition to an aesthetically pleasing design aspect. We offer a wide range of products and variations to fit any architectural style. If you want to convey a feeling of high quality, aesthetics and luxury by simply touching the handle when entering the room, then choose KARCHER DESIGN.





### ENGINEERING OF THE THREE PIECE ROSE SYSTEM



### ENGINEERING OF THE THREE PIECE ROSE SYSTEM SQUARE VERSION



### ENGINEERING OF THE PLAN - DESIGN ROSE SYSTEM



# CERTIFICATION OF KARCHER PRODUCTS

## DIN EN 1906

This European standard determines demands and testing procedures for handle sets and security handle sets with regard to their strength, security, corrosion resistance, break-in security and overall durability. The Standard classifies the levers in the following 8 application categories:

1.	2.	3.	4.	5.	6.	7.	8.
category of Utilisation	durability	door mass	fire resistance	safety of people	corrosion resistance	burglary resistance	implementation

### 1. Category of Utilisation

The "Category of Utilisation" is divided into 4 classes which indicate both the intended frequency of use and resistance to abuse. In accordance with these categories, the requirements are classified as follows:

Category of Utilisation	Tensile testing		free play in resting position (mm)	open angular movement (mm)	Torque testing		description
	tensile stress (N)	permanent deformation after test (mm)			torque load (Nm)	permanent deformation after test (mm)	
<b>GK1</b>	300	≤ 2	≤ 10	≤ 10	20	≤ 5	Medium actuation frequency. Minimal risk of misapplication e.g. interior doors of living rooms
<b>GK2</b>	500	≤ 2	≤ 10	≤ 10	30	≤ 5	Medium actuation frequency. Medium risk of misapplication e.g. interior doors of offices
<b>GK3</b>	800	≤ 2	≤ 6	≤ 5	40	≤ 5	frequent usage, high risk of misapplication e.g. doors in public offices
<b>GK4</b>	1000	≤ 2	≤ 6	≤ 5	60	≤ 5	exposed to frequent violent impacts e.g. public toilettes, soccer stadiums

### 2. Durability

Two durability classes are determined:

- Class 6: medium actuation frequency: 100 000 test cycles
- Class 7: high actuation frequency: 200 000 test cycles

### 3. Door mass

There is no exact definition according to EN 1906.

### 4. Fire resistance

- Class 0: no fire resistance.
- Class A: suitable for installation on smoke protection doors.
- Class A1: suitable for installation on smoke protection doors, with 200 000 test cycles proofed on one test door.
- Class B: suitable for installation on fire and smoke protection doors.
- Class B1: suitable for installation on fire and smoke protection doors, with 200 000 test cycles proofed on one test door.
- Class C: suitable for installation on fire and smoke protection doors with requirements on fire prevention inserts in the plate, door rose and key rose.
- Class C1: suitable for installation on fire and smoke protection doors with requirements on fire prevention inserts in the plate, door rose and key rose, with 200 000 test cycles proofed on one test door.
- Class D: suitable for installation on fire and smoke protection doors with an additional requirement for a special handle core in the door handle/knob.
- Klasse D1: suitable for installation on fire and smoke protection doors with an additional requirement for a special handle core in the door handle/knob.

### 5. Safety of people

According to EN 1906 the test for the safety of people is optional. This test is suggested for sets that are installed, for example, on fall prone doors, e.g. in stairwells.

- Class 0: normal usage
- Class 1: security application

safety for persons	corresponding tensile stress (N)
GK1	1500
GK2	1500
GK3	2500
GK4	2500

### 6. Corrosion resistance

Six classes of corrosion resistance are determined according to EN 1906:

Corrosion class	0	1	2	3	4	5
duration of the salt spray test according to EN ISO 9227 without corrosion appearance (h)	-	24	48	96	240	480
	no performance defined	minimal corrosion resistance	medium corrosion resistance	high corrosion resistance	extra high corrosion resistance	extremely high corrosion resistance

### 7. Burglar resistance

Five classes of burglar - resistance are determined:

- Class 0: no performance defined
- Class 1: minimal burglar - resistance
- Class 2: medium burglar - resistance
- Class 3: high burglar - resistance
- Class 4: extremely burglar - resistance

# CERTIFICATION OF KARCHER PRODUCTS

## 8. Implementation

- A: with spring support
- B: with spring preload
- U: without spring preload

### DIN EN 179

This standard classifies the requirements for construction, suitability of use and testing procedure for emergency exit devices with levers or pull plates on doors in emergency escape areas. This ensures that all persons can leave the building safely during evacuation. The emergency exit devices always consist of a door handle fitting and lock. Both handle and lock must be tested and certified as a unit and be provided with a CE-conformity mark. KARCHER DESIGN levers have been certified with BKS-locks. These tests are repeated periodically every 6 months.

### DIN 18273

The standard DIN 18273 applies to door handle sets which are used in conjunction with fire and smoke doors. The standard defines if the materials and the constructive assembly of the handle sets is done in such a way that the fire/smoke resistance of the door is not disturbed by frequent use. The KARCHER-DESIGN door levers are randomly checked according to well defined guidelines. These random checks are conducted annually by MPA Dortmund. All KARCHER-DESIGN stainless steel handles are suitable for use in DIN 18273 certified handle sets.

### DIN 18257

The German national standard DIN 18257 regulates the dimensional requirements, testing and marking of the Security fittings. Security fittings of this standard are intended to protect locking mechanisms of locks and profile cylinders against mechanical manipulation. Security fittings according to this standard are divided into four resistance classes (ES0 to ES3) with regard to burglar resistance, from which the user can choose according to their security requirements. The comparability of classes according to DIN 18257 and DIN EN 1906 is shown in the following table.

	Requirements / Classes			
	DIN EN 1906			
	SK 1	SK 2	SK 3	SK 4
	DIN18257			
	ES 0	ES 1	ES 2	ES 3
Strength of the plates (kN)	7	10	15	20
max. bend (mm)	5	5	5	5
Strength of fasteners (kN)	10	15	20	30
max. Deformation (mm)	2	2	2	2
Drilling resistance (minutes)	-	≥0,5	≥0,3	≥5
Chisel resistance (pendulum impacts)	-	3	6	12
Strength of the cylinder cover (kN)	-	10	15	20




**We are KARCHER DESIGN**

Page 1



**References**

Page 2-3




**KARCHER DESIGN engineering of the rose**

Page 4-5



**Certification of Karcher products**

Page 6-8




**Stainless steel levers**

Page 10-53




**PLAN-DESIGN**

Page 54-61




**Material combination levers**

Page 62-72




**Lever handles on plate**

Page 73-77




**Renovation back plate**

Page 78-79



**Glass door locks**

Page 80-85




**Security levers**

Page 86-91




**Knobs**

Page 92-97




**Pull handles**

Page 98-105




**Window handles**

Page 106-115



**Sliding door handles**

Page 116-119



**Escutcheons**

Page 120-123



**Accessories**


Page 124-128



**Slim Style**

Page 129-132


New color:  
cosmos black



**Madeira – ER 45**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant  
 Finish: stainless steel with cosmos black coating\*  
 Diameter of handle : 26 mm x 19 mm  
 Rose: Ø 52 mm x 10 mm,  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 454  
 Matching knob: EK 530-R2




**Rhodes – ER 28**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant  
 Finish: stainless steel with cosmos black coating\*  
 Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 284  
 Matching knob: EK 530-R2


New color:  
cosmos black



**Madeira – ER 45 Q**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant  
 Finish: stainless steel with cosmos black coating\*  
 Diameter of handle : 26 mm x 19 mm  
 Rose: 52 mm x 52 mm x 10 mm, square sprung 3-pc rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 454Q  
 Matching knob: EK 550 GRO




**Seattle – ER 46 Q**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant  
 Finish: stainless steel with cosmos black coating\*  
 Diameter of handle : 22 mm x 19 mm  
 Rose: 52 mm x 52 mm x 10 mm, square sprung 3-pc rose  
 Matching window handle: EF 464Q  
 Matching knob: EK 550 GRO

**KARCHER**  
DESIGN

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.

**Corfu – ER 24**

category of use 3

Options:	key hole, euro profile, bathroom turn/release, fire resistant
Finish:	stainless steel with cosmos black coating*
Diameter of handle :	Ø 21 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching window handle:	EF 244
Matching knob:	EK 530-R2

**Verona – ER 37**

category of use 3

Options:	key hole, euro profile, bathroom turn/release, fire resistant
Finish:	stainless steel with cosmos black coating*
Diameter of handle :	17 mm x 24 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching window handle:	EF 374
Matching knob:	EK 530-R2

**Torino:**  
New color and new inlays**Torino – R 53 Q**

Options:	key hole, euro profile, bathroom turn/release
Finish:	cosmos black*
Inlay:	glass inlay white
Diameter of handle :	30 mm x 15 mm
Rose:	52 mm x 52 mm x 10 mm, square sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching window handle:	F 534Q
Matching knob:	EK 550 GRO


**Torino – R 53**

Options:	key hole, euro profile, bathroom turn/release
Finish:	cosmos black*
Inlay:	glass inlay black
Diameter of handle :	30 mm x 15 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose
Matching window handle:	F 534
Matching knob:	EK 530-R2

More Torino versions on page 44/45

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.

**KARCHER**  
  
**DESIGN**

**Island – ER 14**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : 26 mm x 13 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 144  
 Matching knob: EK 300G-R

**Jersey – ER 19**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : 21 mm x 15 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 194  
 Matching knob: EK 300G-R





**Kos – ER 20**  
**Kos – ER/EN 20**


category of use 3  
 category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle for emergency exit locks EN 179


Matching window handle: EF 204  
 Matching knob: EK 300G-R



**Kos XL – ER/FS 10**, Ø 22 mm  
 in satin stainless steel,  
 round 3 pc. rose  
 Options: euro profile,  
 fire resistant  
 for emergency exit locks EN 179

**Kos XL – ER 10 RMF**, Ø 22 mm  
 in satin stainless steel, sprung  
 oval rose, right/left handed  
 Options: euro profile,  
 fire resistant  
 Rose: 74 x 34 x 14 mm  
 for emergency exit locks EN 179

**Kos XL – ER 10 RMGF**,  
 offset, Ø 22 mm  
 in satin stainless steel, sprung oval  
 rose, right/left handed  
 Options: euro profile, fire resistant  
 Rose: 74 x 34 x 14 mm  
 for emergency exit locks EN 179



**Manhattan – ER 21**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 214  
 Matching knob: EK 300G-R





**Elba – ER 22**  
**Elba – ER/EN 22**

category of use 3  
category of use 4  
Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : 15 mm x 19 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle


Matching window handle: EF 224  
Matching knob: EK 300G-R



**Elba – ER 22 RMF**  
in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm for emergency exit locks EN 179




**Elba – ER 22 RMGF**, offset in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm for emergency exit locks EN 179



**Corfu – ER 24**

category of use 3  
Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : Ø 21 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle


Matching window handle: EF 244  
Matching knob: EK 300G-R



**Corfu – ER 24**  
in cosmos black\*, round 3 pc. rose

**KARCHER**  
**DESIGN**

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.





**Malta – ER 25**  
**Malta – ER/EN 25**

category of use 3  
 category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel

Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 254  
 Matching knob: EK 300G-R  
 Matching pull handle: ES 27



**Sylt – ER 26**  
**Sylt – ER/EN 26**

category of use 3  
 category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel

Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 264  
 Matching knob: EK 300G-R  
 Matching pull handle: ES 2



Ø 19 mm diameter




**Crete – ER 27**  
**Crete – ER/EN 27**

category of use 3  
category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : Ø 19 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 274  
Matching knob: EK 300G-R  
Matching pull handle: ES 27




**Crete – ER 27 RMF**,  
in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179




**Crete – ER 27 RMGF**,  
offset in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179



**Borkum – ER 16 RMF**  
in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179



XL version  
Ø 22 mm diameter




**Crete XL – ER 17**  
**Crete XL – ERP 17**

category of use 3  
category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : Ø 22 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle


Matching window handle: EF 174  
Matching knob: EK 300G-R  
Matching pull handle: ES 27



**Crete XL – ERP 17**  
category of use 4  
Lever set suitable for public places with ball bearing, in satin stainless steel



**Crete XL – ER 17 RMF**  
in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179



**Crete XL – ER 17 RMGF**,  
offset in satin stainless steel, sprung oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179

**KARCHER**  
**DESIGN**

Ø 19 mm diameter




**Rhodes – ER 28**  
**Rhodes – ER/EN 28**

category of use 3  
category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : Ø 19 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 284  
Matching knob: EK 300G-R (round), EK 550GRQ (square)  
Matching pull handle: ES 3




**Rhodes – ER 28**  
in polished stainless steel,  
round 3 pc. rose



**Rhodes – ER 28**  
in oil rubbed bronze  
round 3 pc. rose



**Rhodes – ER 28**  
in cosmos black\*,  
round 3 pc. rose



**Rhodes – ER 28 Q**  
in satin stainless steel,  
square 3 pc. rose  
52 x 52 x 10mm



**Rhodes – ER 28 RMF**  
in satin stainless steel, sprung  
oval rose, right/left handed  
Options: euro profile,  
fire resistant  
Rose: 74 x 34 x 14mm



**Rhodes – ER 28 RMGF**  
offset in satin stainless steel,  
sprung oval rose,  
right/left handed  
Options: euro profile,  
fire resistant  
Rose: 74 x 34 x 14mm

XL version  
Ø 22 mm diameter




**Rhodes XL – ER 18**  
**Rhodes XL – ERP 18**

category of use 3  
category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : Ø 22 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 184  
Matching knob: EK 300G-R  
Matching pull handle: ES 3



**Rhodes XL – ERP 18**  
category of use 4  
Lever set suitable for public  
places with ball bearing, in  
satin stainless steel



**Rhodes XL – ER 18 RMGF**,  
offset in satin stainless steel, sprung  
oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm



**Rhodes XL – ER 18 RMF**  
offset in satin stainless steel, sprung  
oval rose, right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm



**Kos XL – ER 10 RMF**, Ø 22 mm  
in satin stainless steel, sprung  
oval rose, right/left handed  
Options: euro profile,  
fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179



**Kos XL – ER 10 RMGF**,  
offset in satin stainless steel,  
oval rose with sprung  
right/left handed  
Options: euro profile, fire resistant  
Rose: 74 x 34 x 14mm  
for emergency exit locks EN 179

**KARCHER**  
DESIGN

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Cyprus – ER 29**

category of use 3

- Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set
- Finish: satin stainless steel
- Diameter of handle : 23 mm x 15 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: EK 300G-R




**Cyprus – ER 29**  
oval handle profile



**Corsica – ER 30**  
**Corsica – ER/EN 30**

category of use 3  
category of use 4

- Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set
- Finish: satin stainless steel
- Diameter of handle : Ø 19 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: EK 300G-R






**Tasmania – ER 31**  
**Tasmania – ER/EN 31**

category of use 3  
 category of use 4


Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel

Diameter of handle : Ø 22 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 314  
 Matching knob: EK 300G-R  
 Matching pull handle: ES 31



**Tasmania – ER 31**  
 in polished stainless steel,  
 round 3 pc. rose




**Tasmania – ER 31 Q**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel

Diameter of handle : Ø 22 mm  
 Rose: 52 mm x 52 mm x 10 mm, sprung square 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 314 Q  
 Matching knob: EK 550 GRO  
 Matching pull handle: ES 31



**Tasmania – ER 31 Q**  
 in polished stainless steel,  
 square 3 pc. rose

**Babylon – ER 32**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin/polished stainless steel

Diameter of handle : 17 mm x 24 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 324  
 Matching knob: EK 530-R5

**Atlantis – ER 36**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin/polished stainless steel

Diameter of handle : Ø 18 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching knob: EK 530-R5





**Rio Steel – ER 34**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin/polished stainless steel

Diameter of handle : Ø 20 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 344  
 Matching knob: EK 530-R2 (round), EK 550 GRQ (square)



**Rio Steel – ER 34**  
 in satin stainless steel,  
 round 3 pc. rose



**Rio Steel – ER 34 Q**  
 in satin/polished stainless steel,  
 square 3 pc. rose  
 52 x 52 x 10mm



**Lignano Steel – ER 35**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin/polished stainless steel

Diameter of handle : Ø 20 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 354  
 Matching knob: EK 530-R2





**Lignano Steel – ER 35**  
 in satin stainless steel,  
 round 3 pc. rose




**Verona – ER 37**  
**Verona – ER/EN 37**

category of use 3  
category of use 4  
Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin stainless steel  
Diameter of handle : 17 mm x 24 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 374  
Matching knob: EK 530-R2 (round), EK 550 GRQ (square)  
Matching pull handle: ES 37



**Verona – ER 37**  
satin/polished stainless steel,  
round 3 pc. rose



**Verona – ER 37**  
in polished stainless steel,  
round 3 pc. rose



**Verona – ER 37**  
in cosmos black\*,  
round 3 pc. rose



**Verona – ER 37 Q**  
satin/polished stainless steel,  
square 3 pc. rose  
52 x 52 x 10mm



**Verona – ER 37 RMF,**  
in satin stainless steel, sprung  
oval rose, right/left handed  
Options: euro profile,  
fire resistant  
Rose: 74 x 34 x 14mm




**Porto – ER 43**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
Finish: satin/polished stainless steel  
Diameter of handle : 17 mm x 20 mm  
Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 434  
Matching knob: EK 530-R2 (round), EK 550 GRQ (square)  
Matching pull handle: ES 43



**Porto – ER 43 Q**  
satin/polished stainless steel,  
square 3 pc. rose  
52 x 52 x 10mm

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.




Design by Karcher

**Madeira – ER 45**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel  
 Diameter of handle : 19 mm x 26 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 454 (oval), EF 454Q (rectangular)  
 Matching knob: EK 530-R2 (round), EK 550 GRQ (square)



**Madeira – ER 45**  
 in oil rubbed bronze  
 round 3 pc. rose



**Madeira – ER 45**  
 in cosmos black\*,  
 round 3 pc. rose



**Madeira – ER 45 Q**  
 in oil rubbed bronze  
 square 3 pc. rose,  
 52 x 52 x 10mm



**Madeira – ER 45 Q**  
 in cosmos black\*,  
 square 3 pc. rose,  
 52 x 52 x 10mm



**Madeira – ER 45 Q**  
 in satin stainless steel,  
 square 3 pc. rose,  
 52 x 52 x 10mm




Design by Karcher



**Madeira – ER 45Q LD**

category of use 3

Options: key hole, euro profile, bathroom turn/release  
 Leather finish: light brown, dark brown, black  
 Finish: satin stainless steel  
 Diameter of handle : 21,5 mm x 28 mm  
 Rose: 52 x 52 x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 454 Q L (rectangular), EF 454 L (oval)  
 Matching knob: EK 550 GRQ (square), EK 530-R2 (round)



**Madeira – ER 45 LH**  
 in satin stainless steel  
 with light brown leather,  
 round 3 pc. rose  
 Ø 52 x 10 mm



**Madeira – ER 45 LD**  
 in satin stainless steel  
 with dark brown leather,  
 round 3 pc. rose  
 Ø 52 x 10 mm



**Madeira – ER 45 LS**  
 in satin stainless steel  
 with black leather,  
 round 3 pc. rose  
 Ø 52 x 10 mm



**Madeira – ER 45Q LH**  
 in satin stainless steel  
 with light brown leather,  
 square 3 pc. rose




**Madeira – ER 45Q LS**  
 in satin stainless steel  
 with black leather,  
 square 3 pc. rose

More leather options available upon request!




\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Seattle – ER 46 Q**

category of use 3

- Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set
- Finish: satin stainless steel
- Diameter of handle : 19 mm x 22 mm
- Rose: 52 mm x 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching window handle: EF 464 Q
- Matching knob: EK 550 GRQ
- Matching pull handle: ES 46




**Seattle – ER 46 Q**  
in polished stainless steel,  
square 3 pc. rose



**Seattle – ER 46 Q**  
in oil rubbed bronze  
square 3 pc. rose




**Seattle – ER 46 Q**  
in cosmos black\*,  
square 3 pc. rose



**Portland – ER 47 Q**

category of use 3

- Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set
- Finish: satin stainless steel
- Diameter of handle : 16 mm x 16 mm
- Rose: 52 mm x 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching window handle: EF 474 Q
- Matching knob: EK 550 GRQ




\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Oregon – ER 48**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel  
 Diameter of handle : 25 mm x 18 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 484  
 Matching knob: EK 530-R2 (round), EK 550 GRQ (square)  
 Matching pull handle: ES 48




**Oregon – ER 48**  
 in satin/polished stainless steel,  
 round 3 pc. rose



**Oregon – ER 48 Q**  
 in satin stainless steel,  
 square 3 pc. rose,  
 52 x 52 x 10mm





**Oregon – ER 48 Q**  
 in satin/polished stainless steel,  
 square 3 pc. rose,  
 52 x 52 x 10mm




**London – ER 51**

category of use 3


Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set  
 Finish: satin stainless steel  
 Diameter of handle : 25 mm x 13 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: EF 514  
 Matching knob: EK 530-R2 (round), EK 550 GRQ (square)  
 Matching pull handle: ES 51



**London – ER 51 Q**  
 in satin stainless steel,  
 square 3 pc. rose,  
 52 x 52 x 10mm



**London – ER 51 K RM**  
 in satin stainless steel, oval rose,  
 short handle neck  
 (depth 30 mm, rose included)





Design by Karcher

**Milano – ER 52**

category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel



Diameter of handle : 30 mm x 15 mm

Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 524

Matching knob: EK 530-R2 (round), EK 550 GRQ (square)

Matching pull handle: ES 6Q




**Milano – ER 52 Q**  
in satin stainless steel,  
square 3 pc. rose,  
52 x 52 x 10mm



**Torino – R 53 HS**  
in satin nickel  
Inlay: genuine ebony  
round 3 pc. rose  
(rose in satin stainless steel)



**Torino – R 53 Q KE1**  
in satin nickel  
Inlay: light oak optics  
square 3 pc. rose, 52 x 52 x 10mm  
(rose in satin stainless steel)



© Simon Toplak


Door handle with Inlay



Design by Itamar Harari

**Torino – R 53**

Options: key hole, euro profile, bathroom turn/release  
 Finish: satin nickel  
 Inlay: satin cream white  
 Diameter of handle : 30 mm x 15 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching knob: EK 530-R2



**Torino – R 53 LD**  
 in satin nickel  
 Inlay: dark brown leather  
 round 3 pc. rose  
 (rose in satin stainless steel)

**Torino – R 53 HS**  
 in chrome  
 Inlay: ebony  
 round 3 pc. rose  
 (rose in polished stainless steel)

**Torino – R 53 HE1**  
 in cosmos black\*  
 Inlay: light oak  
 round 3 pc. rose  
 (rose in cosmos black)



**Torino – EPL 53 KB1**  
 in satin nickel  
 Inlay: concrete optics  
 on round Plan Design rose  
 (rose in satin stainless steel)

**Torino – EPL 53 C1**  
 in chrome  
 Inlay: Carbon  
 on round Plan Design rose  
 (rose in polished stainless steel)

More inlays available!

Door handle with Inlay



Design by Itamar Harari

**Torino – R 53 Q**

Options: key hole, euro profile, bathroom turn/release  
 Finish: satin nickel  
 Inlay: light oak optics  
 Diameter of handle : 30 mm x 15 mm  
 Rose: 52 mm x 52 mm x 10 mm, sprung square 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching knob: EK 550 GRQ



**Torino – R 53 Q LS**  
 in satin nickel  
 Inlay: black leather  
 on square 3 pc. rose  
 (rose in satin stainless steel)

**Torino – R 53 Q KS2**  
 in chrome  
 Inlay: polished black  
 on square 3 pc. rose  
 (rose in polished stainless steel)

**Torino – R 53 Q KNB1**  
 in cosmos black\*  
 Inlay: rustic oak optics  
 on square 3 pc. rose  
 (rose in cosmos black)




**Torino – EPL 53 Q KW1**  
 in satin nickel  
 Inlay: satin white  
 on square Plan Design rose  
 (rose in satin stainless steel)

**Torino – EPL 53 Q LH**  
 in chrome  
 Inlay: light brown leather  
 on square Plan Design rose  
 (rose in polished stainless steel)

More inlays available!



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**NEW**

**Montana – ER 54**



category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : Ø 20 mm x 6 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 544  
 Matching knob: EK 530-R2 (round), EK 550Q (square)



**Montana – ER 54Q**  
 in satin stainless steel,  
 square 3 pc. rose,  
 52 x 52 x 10mm



**Miami – ER 85**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : Ø 12 x 32 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching knob: EK 530-R2



**Miami– EPL 85**  
 in satin stainless steel,  
 round Plan Design rose

**KARCHER**  
  
**DESIGN**




**Ontario – ER 64** category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin/polished stainless steel

Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 644  
 Matching knob: EK 530-R2



**Ontario – ER 64**  
 in satin stainless steel,  
 round 3 pc. rose




**New York – ER 65** category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set


Finish: satin/polished stainless steel

Diameter of handle : Ø 20 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 654  
 Matching knob: EK 530-R2  
 Matching pull handle: ES 65



**New York – ER 65**  
 in satin stainless steel,  
 round 3 pc. rose



**Stockholm – ER 79**  
**Stockholm – ER/EN 79**


category of use 3  
 category of use 4

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin/polished stainless steel

Diameter of handle : max. 40 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching knob: EK 530-R2



**Stockholm – R 79**  
 in polished zirconium, round 3 pc.  
 rose, in zamac/stainless steel

zirconium (polished brass): highly  
 scratch-resistant PVD surface



Design by Anikó Izsák

**Futura – ER 84**


category of use 3

Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set

Finish: satin stainless steel

Diameter of handle : 25 mm x 23 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle

Matching window handle: EF 844  
 Matching knob: EK 530-R2



**Futura – ER 84**  
 in polished stainless steel,  
 round 3 pc. rose

**KARCHER**  
  
**DESIGN**



GERMAN  
DESIGN  
AWARD  
SPECIAL  
2019




Design by Itamar Harari

**NEW**

**Las Vegas – ER 87**

- Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set
- Finish: satin stainless steel
- Diameter of handle : 20 mm x 6 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: EK 530-R2



**Las Vegas – ER 87**  
in polished stainless steel,  
round 3 pc. rose



**Las Vegas – ER 87 Q**  
in satin stainless steel,  
on square 3 pc. rose,  
52 x 52 x 10 mm



**Las Vegas – ER 87 Q**  
in polished stainless steel,  
on square 3 pc. rose,  
52 x 52 x 10 mm




Design by Karcher

**NEW**

**Nevada – ER 88**

- Options: key hole, euro profile, bathroom turn/release, security/fire resistant handle set
- Finish: satin stainless steel
- Diameter of handle : 25 mm x 6 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: EK 530-R2



**Nevada – ER 88 Q**  
in satin stainless steel,  
on square 3 pc. rose,  
52 x 52 x 10 mm

**KARCHER**  
DESIGN



**Rhodes – EPL 28**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish: oil rubbed bronze  
 Diameter of handle : Ø 19 mm  
 Rose: Ø 55 mm x 3 mm  
 M5 bolt through with heavy duty secure fixings and hollow spindle



**Madeira – EPL 45**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish: oil rubbed bronze  
 Diameter of handle : 18,5 x 26 mm oval  
 Rose: Ø 55 x 3 mm  
 M5 bolt through with heavy duty secure fixings and hollow spindle

Also available in \*cosmos black !

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.

Simple and modern with a 3 mm thick Plan Design rose. Available surface mounted and for all KARCHER DESIGN handle models in oil rubbed bronze.



**Seattle – EPL 46 Q**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish: oil rubbed bronze  
 Diameter of handle : 19 x 22 mm  
 Rose: 55 x 55 x 3 mm  
 M5 bolt through with heavy duty secure fixings and hollow spindle



**Madeira – EPL 45Q**

category of use 3

Options: key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish: oil rubbed bronze  
 Diameter of handle : 18,5 x 26 mm oval  
 Rose: 55 x 55 x 3 mm  
 M5 bolt through with heavy duty secure fixings and hollow spindle



**Elba – EPL 22**

category of use 3

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

satin stainless steel  
15 x 19 mm  
Ø 55 mm x 3 mm  
M5 bolt through with heavy duty secure fixings  
and hollow spindle



**Rhodes – EPL 28**

category of use 3

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

satin stainless steel or polished stainless steel  
Ø 19 mm  
Ø 55 mm x 3 mm  
M5 bolt through with heavy duty secure fixings  
and hollow spindle

Simple and modern with a 3 mm thick Plan Design rose.  
Available surface- or flush-mounted and for all KARCHER DESIGN  
handle models in satin stainless steel or polished stainless steel.



**Tasmania – EPL 31**

category of use 3

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

satin stainless steel or polished stainless steel  
Ø 22 mm  
Ø 55 mm x 3 mm  
M5 bolt through with heavy duty secure fixings  
and hollow spindle



**Madeira – EPL 45**


category of use 3

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

satin stainless steel  
18,5 x 26 mm oval  
Ø 55 x 3 mm  
M5 bolt through with heavy duty secure fixings  
and hollow spindle



**Seattle – EPL 46 Q**


category of use 3

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

satin stainless steel  
19 x 22 mm  
55 x 55 x 3 mm  
M5 bolt through with heavy duty secure fixings and hollow spindle



**Tasmania – EPL 31 Q**

category of use 3

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

satin stainless steel  
Ø 22 mm  
55 x 55 x 3 mm  
M5 bolt through with heavy duty secure fixings and hollow spindle

Simple and modern with a 3 mm thick Plan Design rose. Available surface mounted and for all KARCHER DESIGN handle models in satin stainless steel or polished stainless steel.



**Seattle – EPL 46 Q**

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:

polished stainless steel  
19 x 22 mm  
55 x 55 x 3 mm  
M5 bolt through with heavy duty secure fixings and hollow spindle



**Tasmania – EPL 31 Q**

Options:

key hole, euro profile, bathroom turn/release, fire resistant handle set

Finish:  
Diameter of handle :  
Rose:


polished stainless steel  
Ø 22 mm  
55 x 55 x 3 mm  
M5 bolt through with heavy duty secure fixings and hollow spindle

plan-design  
BY KARCHER



**Seattle on plan design plate – EPP 46**


Options: without keyhole  
 Finish: satin stainless steel  
 Diameter of handle : 19 mm x 22 mm  
 Plate: 160 mm x 55 mm x 3 mm  
 3x M5 bolt through with heavy duty secure fixings and hollow spindle



The Plan Design plate is a new alternative for the Plan Design rose and can be used with any handle of your choice!




**Milano – EPP 52**  
 in satin stainless steel  
 on plan design plate



**Torino – EPP 53**  
 in satin nickel  
 Inlay: concrete optics  
 on plan design plate

Simple and modern with a 3 mm thick Plan Design rose.  
 Available surface mounted and for all KARCHER DESIGN handle models in satin stainless steel.



Design by Karcher

**Tower – EPL 86**


Options: key hole, euro profile, bathroom turn/release  
 Finish: satin stainless steel  
 Diameter of handle : 12 mm x 32 mm  
 Rose: Ø 55 mm x 3 mm, Plan Design rose  
 M5 bolt through with heavy duty secure fixings and hollow spindle




**Kent – EPL 96 LH**  
 in satin stainless steel  
 with light brown leather,  
 on round plan design rose



**Kent – EPL 96 LD**  
 in satin stainless steel  
 with dark brown leather,  
 on round plan design rose




**Kent – EPL 96 LS**  
 in satin stainless steel  
 with black leather,  
 on round plan design rose




More leather options available upon request!

KARCHER  
DESIGN



**Starlight – R 38**

Options: key hole, euro profile, bathroom turn/release, security handle set  
 Finish: chrome/satin stainless steel  
 Material: zamac/stainless steel  
 Diameter of handle : Ø 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching window handle: F 384  
 Matching knob: K 382-R2




**Starlight – R 38**  
 in polished zirconium\*/satin stainless steel,  
 round 3 pc. rose


\*same colour as polished brass/satin stainless steel  
 zirconium= highly scratch-resistant PVD surface





**Phoenix – R 40**

Options: key hole, euro profile, bathroom turn/release, security handle set  
 Finish: chrome/satin nickel  
 Material: zamac/stainless steel  
 Diameter of handle : 27 mm x 19 mm  
 Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
 M4 bolt through with heavy duty secure fixings and hollow spindle  
 Matching knob: K 382-R5



**Orlando – R 42**

Options:	key hole, euro profile, bathroom turn/release, security handle set
Finish:	chrome/satin chrome
Material:	zamac/stainless steel
Diameter of handle :	28 mm x 22 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching knob:	K 382-R2



**Orlando – R 42 W**  
in chrome/satin chrome,  
round 3 pc. rose  
with white SWAROVSKI crystals\*


\*crystals in other colours available on request

**Gent – R 473**

Options:	key hole, euro profile, bathroom turn/release, security handle set
Finish:	satin chrome
Material:	zamac/stainless steel
Diameter of handle :	Ø 17 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching knob:	K 382-R2





**Gent – R 473**  
in satin nickel/ polished  
stainless steel  
round 3 pc. rose



Design by Itamar Harari

**Chicago – R 220**

Options:	key hole, euro profile, bathroom turn/release, security handle set
Finish:	chrome/satin chrome
Material:	zamac/stainless steel
Diameter of handle :	18 mm x 28 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching window handle:	F 2204
Matching knob:	K 382-R2



Design by Itamar Harari

**Denver – R 230**

Options:	key hole, euro profile, bathroom turn/release, security handle set
Finish:	chrome/satin chrome
Material:	zamac/stainless steel
Diameter of handle :	20 mm x 24 mm
Rose:	Ø 52 mm x 10 mm, sprung 3 pc. rose M4 bolt through with heavy duty secure fixings and hollow spindle
Matching window handle:	F 2304
Matching knob:	K 382-R2





**Antalya – R 250**

- Options: key hole, euro profile, bathroom turn/release, security handle set
- Finish: chrome/satin chrome
- Material: zamac/stainless steel
- Diameter of handle : 25 mm x 10 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: K 382-R2




© Jean-Pierre Porcher



Design by Karcher

**Schöntal – R 260**

- Options: key hole, euro profile, bathroom turn/release, security handle set
- Finish: chrome
- zamac: zamac/stainless steel
- Diameter of handle : Ø 15 mm – 21 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: K 382-R2




**Schöntal – R 260**  
in polished zirconium\*,  
round 3 pc. rose  
\*zirconium = highly  
scratch-resistant PVD surface




**Schöntal – L 260**

- Options: key hole 72 mm  
bathroom 78 mm  
euro profile 72 mm
- Fixing centre: 188 mm
- Finish: chrome
- Material: zamac
- Diameter of handle: Ø 15 mm – 21 mm
- Plate: 228 x 50 x 6 mm  
M4 bolt through, sprung
- Matching knob: K 382-R2



**Schöntal – L 260**


- Options: key hole 72 mm  
bathroom 78 mm  
euro profile 72 mm
- Fixing centre: 188 mm
- Finish: polished zirconium\*
- Material: zamac
- Diameter of handle: Ø 15 mm – 21 mm
- Plate: 228 x 50 x 6 mm  
M4 bolt through, sprung
- Matching knob: K 382-R2
- \*zirconium = highly scratch-resistant PVD surface





**Montmartre – R 270**

- Options: key hole, euro profile, bathroom turn/release, security handle set
- Finish: chrome
- Material: zamac/stainless steel
- Diameter of handle : Ø 15 mm – 21 mm
- Rose: Ø 52 mm x 10 mm, sprung 3 pc. rose  
M4 bolt through with heavy duty secure fixings and hollow spindle
- Matching knob: K 382-R2




**Montmartre – R 270**  
in polished zirconium\*,  
round 3 pc. rose  
\*zirconium = highly  
scratch-resistant PVD surface




**Montmartre – L 270**

- Options: key hole 72 mm  
bathroom 78 mm  
euro profile 72 mm
- Fixing centre: 210 mm
- Finish: chrome
- Material: zamac
- Diameter of handle: Ø 15 mm – 21 mm
- Plate: 230 x 43 x 4,5 mm  
M4 bolt through, unsprung
- Matching knob: K 382-R2



**Montmartre – L 270**

- Options: key hole 72 mm  
bathroom 78 mm  
euro profile 72 mm
- Fixing centre: 210 mm
- Finish: polished zirconium\*
- Material: zamac
- Diameter of handle: Ø 15 mm – 21 mm
- Plate: 230 x 43 x 4,5 mm  
M4 bolt through, unsprung
- Matching knob: K 382-R2  
\*zirconium = highly scratch-resistant PVD surface





#### ELXQ – rectangular backplate

Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92 mm  
fire resistant handle set


Fixing centre: 158 mm

Finish: satin stainless steel

Plate: 200 x 40 x 10 mm

handle sample: Seattle ER46 Q  
M5 bolt through with heavy duty secure fixings and hollow spindle

Matching knob: EK 300 G







**Crete - ELRM 27**


- Options: latch  
Euro profile 72 or 92 mm  
blank plate  
fire resistant handle set
- Finish: satin stainless steel  
Diameter of handle: Ø 19 mm  
Matching knob: EK 300 G  
Fixing: M5 bolt through, unsprung

all KARCHER DESIGN handle models are available on narrow backplate



**Crete - EL 27**


- Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92 mm  
blank plate  
fire resistant handle set
- Finish: satin stainless steel  
Plate: 200 x 40 x 10 mm  
Diameter of handle: Ø 19 mm  
M5 bolt through with heavy duty secure fixings and hollow spindle with spring  
Matching knob: EK 300 G



**Rhodos - ELRM 28**


- Options: latch  
euro profile 72 or 92 mm  
blank plate  
fire resistant handle set
- Finish: satin stainless steel  
Diameter of handle: Ø 19 mm  
Matching knob: EK 300 G  
Fixing: M5 bolt through, unsprung

all KARCHER DESIGN handle models are available on narrow backplate




**Rhodos - ELX 28**

- Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92mm  
blank plate  
fire resistant handle set
- Finish: satin stainless steel  
Plate: 200 x 40 x 10 mm  
Diameter of handle: Ø 19 mm  
M5 bolt through with heavy duty secure fixings and hollow spindle with spring  
Matching knob: EK 300 G



Renovation backplate covers marks of old plates!



extra long: 242 mm  
extra wide: 46 mm

**RL – renovation backplate  
Verona – RL 37**

Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92 mm

Finish: satin nickel  
Plate: 10 mm  
Materials: stainless steel, zamac  
M4 bolt through with spring  
matching knob: K 382





extra long: 260 mm  
extra wide: 52 mm

**RLE – rectangular backplate  
Oregon – RLE 48**

Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92 mm

Finish: satin stainless steel  
Plate: 10 mm M4 bolt through, sprung

matching knob: EK 550 G



extra long: 242 mm  
extra wide: 46 mm

**RL – renovation backplate  
Lignano Steel – RL 35**

Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92 mm

Finish: chrome/satin nickel  
Plate: 10 mm  
Materials: stainless steel, zamac  
M4 bolt through with spring  
matching knob: K 382




extra long: 242 mm  
extra wide: 46 mm

**RL – renovation backplate  
Starlight – RL 38**

Options: latch  
key hole 57 or 72 mm  
bathroom 57 or 78 mm  
euro profile 48, 72 or 92 mm

Finish: chrome/satin nickel  
Plate: 10 mm  
Materials: stainless steel, zamac  
M4 bolt through with spring  
matching knob: K 382




All KARCHER DESIGN models are also available on renovation backplate.







Inspiration: glass door lock EGS110Q with handle Seattle ED46 in cosmos black



**3 piece hinge EGB 402Q**  
Finish: satin stainless steel



**3 piece hinge EGB 402Q**  
Finish: polished stainless steel




**KARCHER glass door lock – EGS 110Q OS**



- Options: latch, euro profile, keyhole, bathroom turn/release (e.p. including thumbturn cylinder ZEGS KZA/KZB)  
 Finish: satin stainless steel, polished stainless steel, oil rubbed bronze, cosmos black\* (left picture)  
 Hinges: 2 piece hinges (EGB 102) or 3 piece hinges (EGB 402Q)

Suitable for all stainless steel handle models  
 also available as complete set EGS 360Q with handle of choice

**Options:**



**EGSG 110Q** (strike box for double door)



**EGS 110Q PZ** in polished stainless steel




**EGS 110Q OS** in oil rubbed bronze




**EGS 110Q PZ** in satin stainless steel



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**3 piece hinge – EGB 302**  
Finish: satin stainless steel



**KARCHER glass door lock – EGS 100 OS**

Options: latch, euro profile, key hole, bathroom turn/release (e.p. including thumbturn cylinder ZEGS KZA/KZB)

Finish: satin stainless steel

Hinges: 2 piece hinges (EGB 102) or 3 piece hinges (EGB 302)

Suitable for all stainless steel handle models  
also available as complete set EGS 350 with handle of choice




**Options:**




**EGS 100 PZ** (euro profile)



**EGSG 100** (strike box for double door)



**3 piece hinge EGB 302**  
Finish: satin stainless steel



**KARCHER glass door lock – EGS 120 OS**

Options: latch, euro profile, key hole, bathroom turn/release (e. p. including thumbturn cylinder ZEGS KZA/KZB)

Finish: satin stainless steel

Hinges: 2 piece hinges (EGB 102) or 3 piece hinges (EGB 402Q)

Suitable for all stainless steel handle models  
also available as complete set EGS 370 with handle of choice



**Options:**



**EGS 120 PZ** (euro profile)




**EGSG 120** (strike box for double door)





Besides the KARCHER DESIGN glass door locks most of our stainless steel handle models are also suitable for DORMA, Schlechtendahl (WSS) and many other glass door lock types. Please ask our customer service before ordering.


Besides the KARCHER DESIGN glass door locks most of our stainless steel handle models are also suitable for DORMA, Schlechtendahl (WSS) and many other glass door lock types. Please ask our customer service before ordering.




**2 piece hinge – EGB 102**  
Finish: satin stainless steel





**Sliding door handle for glass doors EZ1706 GS – EZ1706 GSH** (screwed together)  
Drilling diameter: 50 mm, DT: 8-11 mm  
Finish: satin stainless steel




**Slide over door fixing bolt– EGF 100**  
with ground socket,  
for 8 -10 mm glass  
Finish: satin stainless steel




**Thumbturn cylinder**  
**ZEGS KZA 35/20** (turn side 20 mm)  
**ZEGS KZB 20/35** (turn side 35 mm)  
Finish: satin nickel




**Silent latch – ZEGS FL10**  
for KARCHER glass door locks  
Finish: chrome



**Frame parts – EGB 3 V 4400 WF**  
for wooden frame door,  
Height: 48,5 mm  
Finish: zinc coated steel,  
satin black\*




**Frame parts – EGB 3 V 8000 WF**  
for metal frame doors,  
Height: 48,5 mm  
Finish: zinc coated steel





Reference: Kimpton DeWitt Hotel in Amsterdam, Netherlands - with handle ER28 Rhodes in cosmos black.

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.




**Security handle set – ESG 670**

Options: left hand or right hand  
 Suitable for all stainless steel handle models  
 Without cylinder protection,  
 available as fire resistant version (DIN18273)  
 Euro profile 72 mm  
 Outside plate 255 x 53 x 15 mm  
 Knob offset  
 Lightweight construction 7 mm  
 studs and invisible fixings: 2xM8, 1xM6  
 Inside plate 255 x 53 x 5 mm  
 Nylon sliding bearing  
 Finish: satin stainless steel



**Security handle set – ESG 675 K  
 with cylinder protection**  
 Certified DIN EN 1627 RC2

Options: left hand or right hand,  
 handle on both sides  
 Suitable for all stainless steel handle models  
 available as fire resistant version (DIN18273)  
 PZ 72 mm, PZ 92 mm  
 Outside plate 255 x 53 x 15 mm  
 Knob offset  
 Layer construction: 12 mm  
 studs and invisible fixings: 2 x M8, 1 x M6  
 Inside plate 255 x 53 x 5 mm  
 Nylon sliding bearings



**Security handle set ESG 675**  
 Certified DIN EN 1627 RC3  
 Options as above  
**without cylinder protection**  
 Finish: satin stainless steel




**Security handle set ESGR 670K  
 with cylinder protection**

Options: left hand or right hand  
 Suitable for all stainless steel handle models  
 Cylinder projection: 10 - 15 mm  
 from door panel  
 available as fire resistant version (DIN18273)  
 Distance: PZ 72 or 88 mm  
 Outside plate 255 x 53 x 15 mm  
 Knob offset  
 Lightweight construction 5 mm  
 studs and invisible fixing: M4  
 Finish: satin stainless steel




**Security handle set ESGR 680 K  
 with cylinder protection**  
 Certified DIN EN 1627 RC2

Options: left hand or right hand  
 Suitable for all stainless steel handle models  
 Cylinder projection: 10 - 15 mm  
 from door panel  
 PZ 72 mm / PZ 92 mm  
 Outside plate 255 x 53 x 15 mm  
 Knob offset  
 Massive construction: 8 mm  
 studs and invisible fixings: M5  
 Finish: satin stainless steel




**Security handle set ESGR 670**

Options as above  
**without cylinder protection**  
 Finish: satin stainless steel



**Security handle set ESGR 680**  
 Certified DIN EN 1627 RC2  
 Options as above  
**without cylinder protection**  
 Finish: satin stainless steel




**Security handle set ESG 685 K  
with cylinder protection**  
Certified DIN EN 1627 RC3

Options: left hand or right hand,  
handle on both sides  
Suitable for all stainless steel handle models  
available as fire resistant version (DIN18273)  
PZ 72 mm, PZ 92 mm  
Outside plate 255 x 53 x 15 mm  
knob offset  
Massive construction: 12 mm  
studs and invisible fixing: 2 x M8, 1 x M6  
Inside plate 255 x 53 x 5 mm  
Nylon sliding bearings  
Finish: satin stainless steel





**Security escutcheon – ESR 332**  
with angular ring



**Security escutcheon – ESR 335**  
with rounded ring


Finish: satin/polished stainless steel  
Rose: Ø 52x10 mm  
M4 bolt through with heavy duty secure fixings  
Not available with cylinder protection.



Rose: Ø 52 x 10 mm  
M4 bolt through with heavy duty secure fixings  
Not available with cylinder protection.

**Security escutcheon – ESR 300 KS**  
certified to EN1627 RC3


Finish: satin stainless steel  
outside rose: Ø 60x16 mm, inside: 52x10 mm  
M6 bolt through with heavy duty secure fixings with cylinder protection for cylinder projection of 11–16 mm compatible with all 3 pc. inner roses



Finish: satin stainless steel, polished stainless steel, satin/polished stainless steel, polished zirconium, zirconium/satin stainless steel, satin chrome, polished stainless steel/ satin chrome or cosmos black\*

**Security escutcheon – ESR 500 KS**  
certified to EN1627 RC3

Finish: satin stainless steel, cosmos black\*  
outside rose: Ø 55x16 mm, inside rose: 52x10 mm  
M6 bolt through with heavy duty secure fixings with cylinder protection for cylinder projection 10 –15 mm compatible with all 3 pc. inner roses





**NEW**




**Security escutcheon – ESR 340 Q**  
with squared ring

Finish: satin stainless steel  
Rose: 52 x 52 x 10 mm  
M5 bolt through with heavy duty secure fixings and studs





**Oval security escutcheon ESO 210 PZ 71**

Options: euro profile, security/fire resistant handle set  
Finish: satin stainless steel thickness: 10 mm  
Concealed M5 screws with stainless steel cover





**Oval security escutcheon ESO 210K PZ 71**

Options: euro profile, security/fire resistant handle set with cylinder protection  
Finish: satin stainless steel thickness: 11,5 mm for cylinder projection 7-8 mm  
Concealed M5 screws with stainless steel cover




**Oval security escutcheon ESO 220 Q PZ 71**

Options: euro profile, security/fire resistant handle set  
Finish: satin stainless steel thickness: 10 mm  
Concealed M5 screws with stainless steel cover



**Security escutcheon – ESR 400 Q KS**  
certified to EN1627 RC3

Finish: satin stainless steel  
outside rose: 57 x 57 x 16 mm, inside rose: 52 x 52 x 10 mm, M6 bolt through with heavy duty secure fixings and studs with cylinder protection for cylinder projection 11–16 mm from door panel; compatible with all 3 pc. square escutcheons



**Security escutcheon – ESR 550 Q KS**  
certified to EN1627 RC3

Finish: satin stainless steel, cosmos black\*  
outside rose: 55 x 55 x 16 mm, inside rose: 52 x 52 x 10 mm, M6 bolt through with heavy duty secure fixings and studs with cylinder protection for cylinder projection 10 –15 mm compatible with all 3 pc. square escutcheons

**NEW**



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.




**Knob – ERK 530 R2** centred (standard)

Options: fire resistant handle set , fixed dead or operational

Finish: satin stainless steel

Rose: Ø 52 mm, M4 bolt through with heavy duty secure fixings and hollow spindle




**Knob – ERK 550 GRO** offset (standard)

Options: fire resistant handle, set fixed dead (standard) or operational

Finish: satin stainless steel

Rose: 52 x 52 mm, M4 bolt through with heavy duty secure fixings and hollow spindle



**Knob – ERK 530 R2**  
centred  
in polished stainless steel



**Knob – ERK 530 R2**  
centred  
in oil rubbed bronze



**Knob – ERK 530 R2**  
centred  
in cosmos black\*



**Knob – ERK 550 GRO**  
offset  
in polished stainless steel



**Knob – ERK 550 GRO**  
offset  
in oil rubbed bronze



**Knob – ERK 550 GRO**  
offset  
in cosmos black\*



**Knob – ERK 530G R2**  
offset  
in satin stainless steel



**Solid knob – ERK 530G RLA**  
offset  
in satin stainless steel  
only available fixed dead



**Knob – ERK 550 on EPLQ rose**  
offset  
fixed dead or operational  
in satin stainless steel



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.





**Knob – ERK 300 R centred**


Options: fire resistant handle set , fixed dead (standard) or operational

Finish: satin stainless steel


Rose: Ø 52 mm, M4 bolt through with heavy duty secure fixings and hollow spindle



**Knob – ERK 300G R**  
offset (standard)  
in satin stainless steel and  
polished stainless steel  
(in pol. stainless steel only  
available fixed dead)



**Knob – ERK 300 RMGF**  
offset, fire resistant version,  
in satin stainless steel  
on oval rose  
right or left handed




**NEW**

**Knob – ERK 520 RMGF offset**

Options: fire resistant handle set , fixed dead (standard) or operational

Finish: satin stainless steel

Rose: 74 mm x 34 mm x 14 mm, unilateral invisible  
screw connection M5






**Knob – RK 382 centred**

- Options: fixed dead or operational
- Finish:
- satin chrome knob: satin chrome  
rose: satin chrome
  - chrome/satin chrome knob: chrome  
rose: chrome/satin chrome
  - chrome (image above) knob: chrome  
rose: polished stainless steel
  - chrome/satin stainless steel knob: chrome  
rose: satin/polished stainless steel
  - satin nickel knob: satin nickel  
rose: satin stainless steel
  - zirconium knob: polished zirconium  
rose: polished zirconium
  - polished zirconium/  
satin stainless steel knob: polished zirconium  
rose: polished zirconium/  
satin stainless steel
- Rose: Ø 52 mm, M4 bolt through with heavy duty secure fixings and hollow spindle
- material combination: stainless steel, zamac



**Knob – RK 390 centred**

- Options: fixed dead or operational
- Finish:
- chrome knob: chrome  
rose: polished stainless steel
  - chrome/ satin stainless steel knob: chrome  
rose: satin/polished stainless steel
  - satin nickel knob: satin nickel  
rose: satin stainless steel
- Rose: Ø 52 mm, M4 bolt through with heavy duty secure fixings and hollow spindle
- material combination: stainless steel, zamac




© London Square Fulham



**Pull handle – ES 20**

Finish: satin stainless steel  
 Overall length: 420 mm  
 Fixing centre: 350 mm



Ø 22 mm



**Pull handle – ES 25**

Finish: satin stainless steel  
 Overall length: 400 mm  
 Fixing centre: 350 mm



Ø 22 mm



**Pull handle – ES 23**

Finish: satin stainless steel  
 Overall length: 390 mm  
 Fixing centre: 350 mm


Ø 22 mm




**Pull handle – ES 24**

Finish: satin stainless steel  
 Overall length: 400 mm  
 Fixing centre: 350 mm

Ø 22 mm






**Pull handle – ES 3**

Finish: satin stainless steel  
 Overall length / Fixing centre:  
 300 mm / 200 mm (also in grade 316)  
 400 mm / 250 mm (also in grade 316)  
 500 mm / 300 mm (also in grade 316)  
 600 mm / 400 mm (also in grade 316)  
 700 mm / 500 mm  
 800 mm / 600 mm (also in grade 316)  
 1000 mm / 800 mm  
 1200 mm / 1000 mm  
 1400 mm / 1200 mm  
 1600 mm / 1400 mm  
 1800 mm / 1500 mm  
 2000 mm / 1600 mm


Ø 32 mm



**Pull handle – ES 3**

Finish: cosmos black\*  
 Overall length / Fixing centre:  
 300 mm / 200 mm  
 400 mm / 250 mm  
 500 mm / 300 mm  
 600 mm / 400 mm  
 800 mm / 600 mm  
 1000 mm / 800 mm  
 1200 mm / 1000 mm


Ø 32 mm



**Pull handle – ES 3G**

Options: offset 45°  
 Finish: satin stainless steel  
 Overall length / Fixing centre:  
 300 mm / 200 mm  
 400 mm / 250 mm  
 500 mm / 300 mm  
 (also in grade 316)  
 600 mm / 400 mm  
 700 mm / 500 mm  
 800 mm / 600 mm  
 1000 mm / 800 mm  
 1200 mm / 1000 mm  
 1400 mm / 1200 mm  
 1600 mm / 1400 mm  
 1800 mm / 1500 mm  
 2000 mm / 1600 mm


Ø 32 mm



**Pull handle - ES 8**

Finish: satin stainless steel  
 Overall length / Fixing centre:  
 300 mm / 200 mm  
 400 mm / 250 mm  
 500 mm / 300 mm  
 600 mm / 400 mm  
 700 mm / 500 mm  
 800 mm / 600 mm


Ø 25 mm



**Pull handle – ES 6Q**

Finish: satin stainless steel,  
 cosmos black\*  
 Overall length / Fixing centre:  
 400 mm / 300 mm  
 600 mm / 400 mm  
 800 mm / 600 mm  
 1000 mm / 800 mm


40 mm x 20 mm



**Pull handle – ES 2**

Finish: satin stainless steel  
 Overall length / Fixing centre:  
 350 mm / 300 mm  
 450 mm / 400 mm

Ø 25 mm



Custom-made pull handles available on request.

**KARCHER**  
 DESIGN



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Pull handle – ES 4P**


for glass doors with drilling diameter  
 Ø 13 or Ø 22 mm  
 fixing material included  
 Finish: satin stainless steel  
 Overall length / Fixing centre:  
 350 mm / 150 mm  
 500 mm / 300 mm  
 700 mm / 500 mm

Ø 25 mm



**Pull handle – ES 5PQ**

for glass doors with drilling diameter  
 Ø 13 or Ø 22 mm  
 Finish: satin stainless steel  
 Overall length / Fixing centre:  
 350 mm / 150 mm  
 25 x 25 mm



**Pull handle – ESL**

for glass doors  
 with drilling diameter  
 Ø 13 mm  
 Finish: satin stainless steel  
 Overall length / Fixing centre:  
 350 mm / 300 mm  
 350 mm / 150 mm  
 8 x 16 mm




**Pull handle – ES 46**

Finish: cosmos black\*  
 Overall length / Fixing centre:  
 335 mm / 300 mm  
 435 mm / 400 mm  
 19 x 22 mm




**Pull handle – ES 46**

Finish: satin stainless steel  
 Overall length / Fixing centre:  
 335 mm / 300 mm  
 435 mm / 400 mm  
 19 x 22 mm



**Pull handle – ES 48**

Finish: satin stainless steel  
 Overall length / Fixing centre:  
 335 mm / 300 mm  
 435 mm / 400 mm  
 20 x 26 mm




**STAINLESS STEEL CARE ADVICE**

Stainless steel is extremely easy to maintain. If our product shows signs of rust on the surface it is probably due to environmental deposits. This problem might especially arise in industrial areas or nearby the coast. If this occurs the rust can be rubbed away, however we regret that goods cannot be replaced after purchase. (ATTENTION: Do not use cream cleaner or any cleaner which contains chlorine.) For maintenance or cleaning of all kinds of stainless steel surfaces we recommend our KARCHER DESIGN cleaning spray EPS 50.





\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Pull handle – ES 37**

Finish: satin stainless steel  
Overall length: 335 mm  
Fixing centre: 300 mm


Oval 24 x 17 mm



**Pull handle – ES 37**

Finish: satin/polished stainless steel  
Overall length: 335 mm  
Fixing centre: 300 mm


Oval 24 x 17 mm



**Pull handle – ES 27**

Finish: satin stainless steel  
Overall length: 460 mm  
Fixing centre: 425 mm



Ø 19 mm



**Pull handle – ES 65**

Finish: satin/polished stainless steel  
Overall length / Fixing centre:  
335 mm / 300 mm  
435 mm / 400 mm


Ø 20 mm



**Pull handle – ES 72**

Finish: satin stainless steel  
Overall length: 335 mm  
Fixing centre: 300 mm


Ø 19 mm x 6 mm



**Pull handle – ES 43**

Finish: satin/polished stainless steel  
Overall length: 435 mm  
Fixing centre: 400 mm


17 x 20 mm



**Pull handle – ES 51**

Finish: satin stainless steel  
Overall length / Fixing centre:  
335 mm / 300 mm  
435 mm / 400 mm


15 x 25 mm



**Pull handle – ES 31**

Finish: satin stainless steel  
Overall length / Fixing centre:  
325 mm / 300 mm  
425 mm / 400 mm


Ø 22 mm






**HÖRNLIHÜTTE 3260m**


© Kurt Lauber




**EF 244**  
Finish: satin stainless steel  
Matching handle: ER 24 Corfu



**EF 254**  
Finish: satin stainless steel  
Matching handle: ER 25 Malta




**EF 264**  
Finish: satin stainless steel  
Matching handle: ER 26 Sylt




Rotates in 4 positions at 90°  
Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
Cap: 65 x 30 x 12 mm




**EF 274**  
Finish: satin stainless steel  
Matching handle: ER 27 Crete



**EF 284**  
Finish: satin stainless steel  
Matching handle: ER 28 Rhodes



**EFT 284**  
Finish: satin stainless steel




**KARCHER  
DESIGN**



**EF 314**


Finish: satin stainless steel  
Matching handle: ER31 Tasmania



**NEW**


**EF 884**

Finish: satin stainless steel  
Matching handle: ER88 Nevada





**EF 214**

Finish: satin stainless steel  
Matching handle: ER 21 Manhattan




**EF 224**

Finish: satin stainless steel  
Matching handle: ER 22 Elba




**EF 374**

Finish: satin stainless steel  
Matching handle: ER 37 Verona




**EF 514**

Finish: satin stainless steel  
Matching handle: ER 51 London



Rotates in 4 positions at 90°  
Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
Cap: 65 x 30 x 12 mm


Rotates in 4 positions at 90°  
Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
Cap: 65 x 30 x 12 mm



**NEW**


**EF 544**

Finish: satin stainless steel  
Matching handle: ER 54 Montana




**EAR 400**  
lockable window rose

Finish: satin stainless steel  
polished stainless steel  
polished zirconium, cosmos black\*  
Suitable for all levers made of stainless steel, brass and zamac  
Hole distance: 43 mm  
Cap: 99 x 32 x 24 mm



**EF 454**

Finish: satin stainless steel  
Matching handle: ER 45 Madeira




\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.




**EF 344**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER 34 Rio Steel




**EF 324**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER 32 Babylon




**EF 354**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER 35 Lignano Steel




**EF 654**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER 65 New York



**EF 374**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER 37 Verona




Rotates in 4 positions at 90°  
Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
Cap: 65 x 30 x 12 mm

Rotates in 4 positions at 90°  
Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
Cap: 65 x 30 x 12 mm




**EF 334**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER 33 Kuba




**F 384**

Finish:  
chrome/  
satin stainless steel  
Matching handle:  
R 38 Starlight




**EF 484**

Finish:  
satin/polished  
stainless steel  
Matching handle:  
ER48 Oregon



**F 2304**


Finish:  
chrome/  
satin chrome  
Matching handle:  
R 230 Denver






**EF 454 Q**

Finish: satin stainless steel  
 Optionally with oval cover EF454  
 Matching handle: ER 45Q Madeira




**EF 474 Q**

Finish: satin stainless steel  
 Optionally with oval cover EF474  
 Matching handle: ER 47Q Portland




**EF 464 Q**

Finish: satin stainless steel  
 Optionally with oval cover EF464  
 Matching handle: ER 46Q Seattle




**EF 284**

Finish: oil rubbed bronze  
 Matching handle: ER 28 Rhodes




**EF 454**

Finish: oil rubbed bronze  
 Optionally with rectangular cover EF454Q  
 Matching handle: ER 45 Madeira



**EF 464 Q**

Finish: oil rubbed bronze  
 Matching handle: ER 46Q Seattle




Rotates in 4 positions at 90°  
 Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
 □ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
 Cap: 65 x 30 x 12 mm

Also available in cosmos black\*.  
 Rotates in 4 positions at 90°  
 Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm  
 □ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows  
 Cap: 65 x 30 x 12 mm




**EFT 464 Q**

Finish: satin stainless steel  
 Matching handle: ER 46Q Seattle




**EAR 400 Q**  
 lockable window rose

Finish: satin stainless steel, cosmos black\*  
 Suitable for all levers made of stainless steel, brass and zamac  
 Hole distance: 43 mm  
 Cap: 98 x 35 x 26 mm




**EFT 284**

Finish: cosmos black\*  
 Matching handle: ER 28 Rhodes



**EFT 464Q**

Finish: cosmos black\*  
 Matching handle: ER 46Q Seattle



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**EHSSET28 UN**  
satin stainless steel



**EHSSET28 UN**  
oil rubbed bronze



**EHSSET52Q UN**  
satin stainless steel



**EHSSET52Q UN**  
oil rubbed bronze

**Lift and slide door handle – EHS28**

Options: without keyhole


**EHS28 UN**  
Lift and slide door handle inside

**EHSSET28 UN**  
Lift and slide door handle set inside + sliding door handle outside  
Options: PZ 69 mm

**EHS28 PZ**  
Lift and slide door handle set inside PZ 69 mm

**EHSSET28 PZ**  
Lift and slide door handle set inside PZ 69 mm + sliding door handle without keyhole outside

**EHSSET28 DD**  
Lift and slide door handle set, inside and outside PZ 69 mm



Spindle: 10/9 mm  
Finish: satin stainless steel, oil rubbed bronze, cosmos black\*  
Plate: 160 x 34 x 14 mm  
Screws: 2 x M6  
Diameter of handle : Ø 19 mm  
Spindle length: 50 mm

**Lift and slide door handle – EHS52Q**

Options: without keyhole


**EHS52Q UN**  
Lift and slide door handle inside

**EHSSET52Q UN**  
Lift and slide door handle set inside + sliding door handle outside  
Options: PZ 69 mm

**EHS52Q PZ**  
Lift and slide door handle set inside PZ 69mm

**EHSSET52Q PZ**  
Lift and slide door handle set inside PZ 69 mm + sliding door handle without keyhole outside


**EHSSET52Q DD**  
Lift and slide door handle set, inside and outside PZ 69 mm




Spindle: 10/9 mm  
Finish: satin stainless steel, oil rubbed bronze, cosmos black\*  
Plate: 160 x 34 x 14 mm  
Screws: 2 x M6  
Diameter of handle : 30 mm x 14 mm  
Spindle length: 50 mm




\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.




**Sliding door handle set – EPDQ**  
 outside rose with slot,  
 inside rose with thumb turn,  
 lock with strike plate,  
 8x8 mm spindle and finger pull  
 Finish: satin stainless steel, polished stainless steel, oil rubbed bronze or cosmos black\*



**Sliding door handle set – EPDQ BB**  
 outside rose with key hole,  
 inside rose with key hole,  
 lock with strike plate, finger pull  
 Finish: satin stainless steel, cosmos black\*




**Sliding door handle set – EPDQ PB**  
 outside rose with thumb turn,  
 inside rose with thumb turn,  
 lock with strike plate,  
 8x8 mm spindle and finger pull  
 Finish: satin stainless steel, polished stainless steel, oil rubbed bronze or cosmos black\*



**Sliding door handle set – EPDQ OS**  
 outside rose blank,  
 inside rose blank and finger pull  
 Finish: satin stainless steel, polished stainless steel, oil rubbed bronze or cosmos black\*



Rose: 57 mm x 57 mm x 10 mm  
 lock with strike plate, 8x8 mm spindle  
 (except EPDQ OS)



COLOURS



**EPDQ 71**  
 satin stainless steel




**EPDQ 72**  
 polished stainless steel




**EPDQ 81**  
 oil rubbed bronze




**EPDQ 83**  
 cosmos black\*




**Sliding door handle set – EPD**  
 outside rose with slot,  
 inside rose with thumb turn,  
 lock with strike plate,  
 8x8 mm spindle and finger pull  
 Finish: satin stainless steel, polished stainless steel, zirconium, oil rubbed bronze or cosmos black\*



**Sliding door handle set – EPD BB**  
 outside rose with key hole,  
 inside rose with key hole,  
 lock with strike plate,  
 8x8 mm spindle and finger pull  
 Finish: satin stainless steel, or cosmos black\*




**Sliding door handle set – EPD PB**  
 outside rose with thumb turn,  
 inside rose with thumb turn,  
 lock with strike plate,  
 8x8 mm spindle and finger pull  
 Finish: satin stainless steel, polished stainless steel, oil rubbed bronze or cosmos black\*



**Sliding door handle set – EPD OS**  
 outside rose blank,  
 inside rose blank and finger pull  
 Finish: satin stainless steel, polished stainless steel, zirconium, oil rubbed bronze or cosmos black\*



Rose: Ø 63 mm x 10 mm  
 lock with strike plate,  
 8x8 mm spindle (except EPD OS)



COLOURS



**EPD 71**  
 satin stainless steel



**EPD 72**  
 polished stainless steel





**EPD 81**  
 oil rubbed bronze



**EPD 83**  
 cosmos black\*



\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Sliding door handle set - EPDQ2**  
 outside rose with slot,  
 inside rose with thumb turn, finger pull  
 lock with strike plate, 8x8 mm spindle  
 Finish: satin stainless steel,  
 polished stainless steel and cosmos black\*  
 Rose: 210 mm x 63 mm x 8,5 mm

**COLOURS**




**EPDQ2 72**  
 polished stainless  
 steel

**EPDQ2 83**  
 cosmos black\*




**Sliding door handle set - EPDQ2 0S**  
 outside rose blank,  
 inside rose blank, finger pull  
 Finish: satin stainless steel,  
 polished stainless steel and cosmos black\*  
 Rose: 210 mm x 63 mm x 8,5 mm

**COLOURS**




**EPDQ2 0S 72**  
 polished stainless  
 steel

**EPDQ2 0S 83**  
 cosmos black\*




**Sliding door handle  
 EZ 1703 Q**

Options: without keyhole,  
 key hole, euro profile  
 Finish: satin stainless steel  
 Length: 120 mm  
 Width: 41 mm  
 drilling dimensions:  
 32 x 95 x 12 mm




**Sliding door handle  
 EZ 1720 Q**

Options: without keyhole  
 Finish: cosmos black\*  
 Length: 120 mm  
 Width: 41 mm  
 drilling dimensions:  
 32 x 95 x 12 mm




**Sliding door handle  
 EZ 1702**

Options: without keyhole,  
 key hole, euro profile  
 Finish: satin stainless steel  
 Length: 120 mm  
 Width: 41 mm  
 drilling dimensions:  
 30 x 95 x 13 mm



**Sliding door handle  
 EZ 1602**

Options: without keyhole  
 Finish: satin stainless steel  
 Length: 120 mm  
 Width: 41 mm  
 drilling dimensions:  
 30 x 95 x 13 mm




\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.





**Bathroom turn/release  
EZ 1332 BAD**  
Finish: satin stainless steel




**Euro profile**  
Round : EZ 1332 PZ  
Square : EZ1340 PZ  
Finish: satin stainless steel




**Bathroom turn/release  
EZ 1333 BAD**  
Finish: satin stainless steel  
with red/white indicator




**key hole**  
Round : EZ 1332 BB  
Square : EZ1340 BB  
Finish: satin stainless steel



**Bathroom turn/release  
EZ 1334 BAD**  
Finish: satin stainless steel,  
handicapped accessible  
with red/white indicator



**Blank rose**  
Round : EZ 1332 BL  
Square : EZ1340 BL  
Finish: satin stainless steel



**Bathroom turn/release  
EZ 1337 BAD**  
Finish: satin stainless steel  
with red/white indicator



**Bathroom turn/release  
EZ 1335 BAD**  
Finish: satin/polished stainless steel,  
with rounded ring



More finishes are available.


More finishes are available.



**Bathroom turn/release  
EZ1332 BAD 71**  
Finish: satin stainless steel



**Bathroom turn/release  
EZ1332 BAD 72**  
Finish: polished stainless steel



**Bathroom turn/release  
EZ1332 BAD 73**  
Finish: satin/polished stainless steel

**Bathroom turn/release  
EZ1332 BAD 75**  
Finish: satin stainless steel/zirconium



**Bathroom turn/release  
EZ1332 BAD 81**  
Finish: oil rubbed bronze




**Bathroom turn/release  
EZ1332 BAD 83**  
Finish: cosmos black\*



**plan-design**  
by KARCHER




**Plan Design rose  
EZ 180 BAD**  
Finish: satin stainless steel



**Plan Design rose  
EZ 181 BAD**  
with red/white indicator  
Finish: satin stainless steel



**Plan Design rose  
EZ 180 BAD**  
Finish: oil rubbed bronze




**Plan Design rose  
square  
EZ 180Q BAD**  
Finish: satin stainless steel

Also available in other versions.

\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.


Also available in other versions.

**KARCHER**  
**DESIGN**




**Floor door stop – EZ 211**

Finish: satin stainless steel  
Diameter: Ø 45 mm  
Height: 30 mm



**Floor door stop – EZ 212**

Finish: satin stainless steel,  
Diameter: Ø 35 mm  
Height: 50 mm



**Floor door stop – EZ 216**

Finish: satin stainless steel  
Diameter: 31 x 31 mm  
Height: 42 mm



**Floor door stop – EZ 217**

Finish: oil rubbed bronze,  
cosmos black\*  
Diameter: Ø 35 mm  
Height: 41 mm



**Floor door stop – EZ 217Q**

Finish: oil rubbed bronze,  
cosmos black\*  
Diameter: 40 x 40 mm  
Height: 41 mm




**Floor door stop extension – EZ 215 G**

(without image)  
Plastic, Height: 1 cm

**Floor door stop – EZ 215**


Finish: satin stainless steel  
Diameter: Ø 65 mm,  
Height: 25 mm



**Floor door stop – EZ 213**

No fixing required



Finish: satin stainless steel  
Diameter: Ø 90 mm  
Height: 63 mm, Weight: 2,2 kg



**Floor door stop – EZ 214**


No fixing required

Finish: satin stainless steel  
Diameter: Ø 90 mm,  
Height: 33 mm, Weight: 1,0 kg




**Wall door stop – EZ 210**

Finish: satin stainless steel,  
cosmos black\*  
Diameter: Ø 52 mm, Length: 80 mm




**Wall door stop – EZ 209**

Finish: satin stainless steel  
Diameter: Ø 31 mm,  
Length: 30 mm




**Door wedge – ETK 1**

Finish: satin stainless steel  
Diameter: 140 x 25 x 26 mm



**KARCHER**  
DESIGN


\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**Letter plate(outer side) – EBK 1**


Finish: satin stainless steel, polished stainless steel, polished zirconium  
 Diameter: 305 x 110 x 10 mm  
 Aperture: 220 x 50 mm  
 fixing material: M6 Screws, adjustable between 246 – 286 mm

Screws and cap nuts always visible, concealable with EBZK 1.



**Letter plate (outer side) – EBK 2 (without image)**

Finish: satin stainless steel, polished stainless steel, polished zirconium  
 Diameter: 385 x 135 x 10 mm  
 Aperture: 295 x 65 mm  
 fixing material: M6 Screws, adjustable between 246 – 286 mm



**Signs EZ 202**

Finish: satin stainless steel  
 Options:  
 EZ202 D – female  
 EZ202 H – male  
 EZ202 B – disabled  
 EZ202 WT – baby change

Diameter:


120 x 50 mm  
 120 x 38 mm  
 100 x 57 mm  
 120 x 63 mm



**Letter plate (inner side) – EBZK 1**

Finish: satin stainless steel, polished stainless steel, polished zirconium  
 Diameter: 305 x 110 x 10 mm  
 Aperture: 220 x 66 mm  
 fixing material: M6 Screws, adjustable between 246 – 286 mm


If you plan to mount one letter plate on each side the door panel must be at least 45mm thick.



**Letter plate (inner side) – EBZK 2 (without image)**

Finish: satin stainless steel, polished stainless steel, polished zirconium  
 Diameter: 385 x 135 x 10 mm  
 Aperture: 295 x 65 mm  
 fixing material: M6 Screws, adjustable between 328 – 363 mm

If you plan to mount one letter plate on each side the door panel must be at least 45mm thick.



**Signs – EZ 200**

Options:  
 female, male, disabled or WC  
 Finish: satin stainless steel  
 Diameter: Ø 76 mm



**Door knocker– ET1**

Finish: satin stainless steel, polished stainless steel  
 Height: 140 mm  
 Width: 50 mm  
 Depth: 13 mm



**Letter plate– EBK 3**

Finish: satin stainless steel  
 Diameter: 350 x 74 x 10 mm  
 Aperture: 275 x 42 mm  
 fixing material: M6 Screws  
 Fixing centre: 315 mm



**Matching inside plate EBZK 3**



**Letter plate– EBK 4**

Finish: satin stainless steel  
 Diameter: 350 x 73 x 10 mm  
 Aperture: 275 x 42 mm  
 fixing material: M6 Screws  
 Fixing centre: 315 mm

**Matching inside plate EBZK 4**




**Knob – EK 350 for front dead doors fixed dead only**

Finish: satin stainless steel, polished stainless steel  
 Rose: Ø 86 mm  
 Knob: Ø 74 mm



**Knob – EK 570-RQ for front dead doors fixed dead only**

Finish: satin stainless steel, polished stainless steel, cosmos black\*  
 Rose: 50 x 50 x 3 mm  
 Knob: 80 x 80 mm




\*Please note that finish 83 (cosmos black) may discolour with prolonged UV exposure outdoors.



**House numbers EZ 205 \***

Options: \* 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, /  
 Finish: satin stainless steel and polished stainless steel  
 Height: 150 mm for numbers, 110 mm for letters,  
 thickness: 2 mm  
 for wall fixing




**House numbers EZ 207 \***

Options: \* 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, e, /  
 Finish: satin stainless steel  
 Height: 100 mm for numbers, 75 mm for letters  
 thickness: 2 mm  
 for wall fixing



The affordable alternative with clip technology and securely mounted return spring.

SLIM  
STYLE



**L-Form – E 100**


category of use 3

Options:  
 Finish:  
 Diameter of handle :  
 Rose:

key hole, euro profile, bathroom turn/release  
 satin stainless steel  
 Ø 19 mm  
 Ø 54 mm x 11 mm clip rose EZ170 sprung

Matching knob:

EK 310



**U-Form – E 200**

category of use 3

Options:  
 Finish:  
 Diameter of handle :  
 Rose:

key hole, euro profile, bathroom turn/release  
 satin stainless steel  
 Ø 19 mm  
 Ø 54 mm x 11 mm clip rose EZ 170 sprung

Matching knob:

EK 310



SLIM  
STYLE**K-Form – E 300**

category of use 3


Options: key hole, euro profile, bathroom turn/release  
 Finish: satin stainless steel  
 Diameter of handle : Ø 19 mm  
 Rose: Ø 54 mm x 11 mm  
 clip rose EZ 170 sprung

Matching knob: EK 310

SLIM  
STYLE**L-Form – E 600**

Options: key hole, euro profile, bathroom turn/release  
 Finish: satin/polished stainless steel  
 Diameter of handle : Ø 20 mm  
 Rose: Ø 54 mm x 11 mm clip rose EZ 170 sprung

Matching knob: EK 310

**K-Form – E 800 Q**

Options: key hole, euro profile,  
 bathroom turn/release  
 Finish: satin stainless steel  
 Diameter of handle : 19 mm x 19 mm  
 Rose: 54 mm x 54 mm x 11 mm  
 clip rose EZ 170 Q sprung

Matching knob: EK 310 Q

**K-Form – E 700**


Options: key hole, euro profile, bathroom turn/release  
 Finish: satin/polished stainless steel  
 Diameter of handle : Ø 20 mm  
 Rose: Ø 54 mm x 11 mm clip rose EZ 170  
 sprung

Matching knob: EK 310

**KARCHER**  
  
**DESIGN**


The affordable alternative with magnetic rose and securely mounted return spring.

SLIM  
STYLE



**K-Form – E 900**

Options: key hole, euro profile, bathroom turn/release  
 Finish: satin stainless steel  
 Diameter of handle : Ø 19 mm  
 Rose: Ø 55 mm x 3 mm magnetic rose  
 EZ 195 sprung



**K-Form – E 900 Q**

Options: key hole, euro profile, bathroom turn/release  
 Finish: satin stainless steel  
 Diameter of handle : Ø 19 mm  
 Rose: 55 mm x 55 mm x 3 mm magnetic rose  
 EZ 195 Q sprung

**Hollow spindles**



**Z 1100H – 100**  
 8 mm  
 Door thickness: 30 – 45 mm

**Z 1100H – 120**  
 8mm  
 Door thickness: 50 – 70 mm

**Z 1100H – 130**  
 8mm  
 Door thickness: 60 – 80 mm



**Z 1800H – 124**  
 8/10 mm  
 Door thickness: 54 – 74 mm

**Z 1800H – 144**  
 8/10 mm  
 Door thickness: 76 – 92 mm


**Z 1900H – 115**  
 8/9 mm  
 Door thickness: 50 – 63 mm

**Fixing material for pull handles**



**EZ 1060**  
 for wooden  
 doors back to  
 back fixing

**EZ 1061**  
 for glass doors  
 back to back  
 fixing




**EZ 1062** bolt through fixing  
 with cover for glass/metal  
 doors with stainless steel caps  
 on the other side



**EZ 1064** secret face fixing  
 for metal doors



**EZ 1065** bolt through  
 fixing



**EZ 1079/1080** secret face  
 fixing for wooden doors

**Half spindles**



**Z 1400 – 60**  
 8 mm  
 Door thickness: 40 – 50 mm


**Z 1400 – 80**  
 8 mm  
 Door thickness: 55 – 72 mm

**Z 1300 – 60**  
 8/10 mm  
 Door thickness: 40 – 50 mm

**Z 1300 – 80**  
 8/10 mm  
 Door thickness: 55 – 72 mm

**Z 1300 – 100**  
 8/10 mm  
 Door thickness: 75 – 95 mm

**Split spindles**



**Z 2100 – 110 P**  
 spindle size 9 mm  
 Door thickness: 52 – 64 mm

**Z 2100 – 160 P**  
 spindle size 9 mm  
 Door thickness: 62 – 100 mm

**Lever template**

**Z 600**  
 for PLAN  
 DESIGN



**Z 502**  
 Drilling  
 Ø 7 mm



**Z 503**  
 for security  
 levers



**Z 553**  
 mounting set



**Screw spindles**



**Z 1700 – 70**  
 8 mm  
 Door thickness: 39 – 48 mm

**Z 1700 – 80**  
 8 mm  
 Door thickness: 47 – 56 mm

**Z 1700 S – 80 (Slimstyle)**  
 8 mm  
 Door thickness: 47 – 56 mm

**Z 1700 – 100**  
 8 mm  
 Door thickness: 65 – 74 mm



**Z 1600 – 70**  
 8/10 mm  
 Door thickness: 39 – 48 mm

**Z 1600 – 90**  
 8/10 mm  
 Door thickness: 51 – 61 mm

**Z 1600 – 100**  
 8/10 mm  
 Door thickness: 67 – 72 mm

**Z 1600 – 120**  
 8/10 mm  
 Door thickness: 83 – 96 mm



**EPS 50**  
 Care spray

**EPS 30**  
 Care tissue



TORINO DOOR HANDLE ON A TRIP AROUND THE WORLD ...



Our WE LOVE KARCHER Torino door handle has been on a world tour for one year. From Las Vegas, over Cape Town to the Great Wall of China... Follow our WE LOVE KARCHER door handle around the world and become part of the journey now!



Karcher GmbH  
 Raiffeisenstraße 32  
 74906 Bad Rappenau  
 Tel.: +49 7264 9164-52  
 Fax: +49 7264 9164-9952  
 export@karcher-design.de  
 www.karcher-design.co.uk